

INDUSTRIA

MATERIE

**Bottle Division** 

PLASTICHE

Catalogue



**Bottle Division** 

## Index

#### **Company Profile**

Capp Flast - A company at the forefront of quanty, technology and expertise	page	٠
Quality and Technology	page	6
Our Values - Ethical Standards / Human Value	page	7
Plastic Material recovery	page	8
Respect for the environment	page	10
Bottle Division, Standard Products		
Personal Care	nada	14
	page	
Home Care / Gardening and Horticulture	page	20
Technical Line	page	24
Food & Beverage	page	28





Capalle - Florence, Factory

## **Company Profile**

Capp Plast at the forefront of quality, technology and expertise.

Capp Plast's history began in **1960** and today it is one of the most important and dynamic national and European companies operating in the field of plastics processing for the production of large containers, bottles and flexible packaging. The three-Division structure has ensured, at different extents, constant development over time in terms of turnover, production volumes and technical-quality know-how.

**Bottle Division** through numerous extrusion-blowing, stretch-blowing and other ancillary processes is able to produce **more than 150 million bottles annually** for a wide variety of product groups. Thanks to increasing research and development, it is among the most dynamic and flexible providers of new solutions in the packaging market.

**Container and Pallet Division** meets the necessity of agriculture and industry. The company's "core business" offers its customers innovative solutions in the field of goods handling, warehousing and storage. Equipped with a complete fleet of presses (ranging from 900 to 5500 tonnes of power), it guarantees maximum flexibility with respect to the needs of the Agro-Industrial market. Its production of **500.000 containers per year** containers per year putsit in a leading position in Europe.

**Flexible Packaging Division (Film)** - More than half a century's experience has enabled this division to develop and design a complete range of products that fully meet customers' industrial and commercial process requirements.

# **Quality and Technology**





9001-2015

**THE QUALITY SYSTEM** has been certified since 1996 according to **UNI EN ISO 9001:2015** with certificate **No. 468-A.** 

The aim is to satisfy the customer by providing clear, meaningful and high value-added supply specifications and/or projects that are used within one's own organisation as a compass towards Total Quality and the improvement of manufactured products.

**Capp Plast,** has long complemented its production activities with a set of researches carried out in the laboratory by **qualified and specialised personnel**. Careful tests are carried out on incoming raw materials, and in particular, the melt index is checked against that stated in the supplier's documents.

During the production phase, inspections are carried out with sampling on board the machine and with performance tests of the finished product by means of automated equipment, dynamometers, pressure-tension-compression tests, etc. All production undergoes continuous supervision.

For food industry products a traceability system in accordance with Regulation 1935/2004 EC, is in place, procedures and work plans in accordance with GMP standars (dir 2023/2006 EC), are applied, and products comply with Regulation 10/2011 EC and DM 21/03/73 and subsequent updates.

## Our values

#### **Ethical Standards**

Honesty, fairness and transparency in relations with all the various stakeholders: in relations with suppliers and customers, it undertakes to act fairly, avoiding misleading information and behaviour that could induce undue benefits.

#### Human Value

**Respect for the individual** has always been the company's policy towards its employees, regardless of their position in society and the company organisation.

Ensure equal opportunities for the protection and enhancement of human resources by considering them as an indispensable asset of the company.

Capp Plast has always promoted inclusive activities and the protection of populations as a chance for rehabilitation



Sofidel Suppliers Sustainability Award 2021



In 2021 Capp Plast was awarded **the 3SAward** 

The Sofidel Suppliers Sustainability Award (3SAward) was created to incentivise, disseminate and enhance best practices and improvement actions implemented by suppliers in the field of environmental and social sustainability.

# Plastic material Recovery

Since 1998, Capp Plast has been equipped with a pioneering **plant for the recovery and regeneration of production waste and scraps** as well as end-of-life plastic products (PE/PP) from customers, suppliers and municipal utilities, the regeneration of which reintroduces them into particular parts of the production cycle.

This recovery process was authorised by the Italian Authorities.

Since 1998 Capp Plast has been a member of Conai (Cons. Naz. Imballaggi) in accordance with T.U.A. L.D. 152/2006 (ex L.D. 22/97) and since 1999 at Polieco.



REuse | REduce | REcycle

THE LIGHTWEIGHT PLASTIC EVEN FOR THE ENVIRONMENT


## Respect for the Environment

Capp Plast has always been oriented towards the containment and reduction of the environmental impact of its production activities, through the recovery of plastic materials, their valorisation, and reuse, with a "Sustainability in Action" path aimed at promoting information and ideas from a circular economy perspective.

The group's commitment has always been characterised by courageous ecological initiatives that have seen it strive to make decisions that ensure complete respect for the environment and the protection of its workers. For example: not transforming PVC, using lead- and chrome-free inks (food series), not incorporating materials other than polyethylene (wood, iron, etc.) in the accessories and walls of the containers to better guarantee their recovery and recycling, have made it possible to reduce the environmental impact and to position ourselves in a position of excellence with respect to a modern and effective national ecological policy.

Choices in favour of ecology, made even with sacrifices and renunciations, have increasingly met with the approval of customers, influencing them to make more and more environmentally friendly choices. Counting ecologically sensitive organisations such as Capp Plast in its supplier base therefore ensures a high added value response to the changing needs of the large european market in terms of ecology and the environment.

All production activities generate neither waste nor scrap: since they recycle, or immediately during the production process, or further regenerate and reuse all the resulting materials from the various processes.



All blowing machines are equipped with scraps and waste grinding machines for immediate recovery of these in the production from which they are generated. Three grinding and regeneration plants enable the recovery of scrap and waste from the Film Division and the Container and Pallet Division.

The Group also offers, directly to its customers, a take-back and recycling service for all used polyethylene containers. Capp Plast enables the recycling of old containers by replacing them with new ones through its own factory. The materials obtained from the Regeneration Division are used to make components or accessories to be assembled to the large containers of the Injection Division.









## **Bottle Division**

**Standard Products** 

**Personal Care** 

**Home Care / Gardening and Horticulture** 

**Technical Line** 

**Food & Beverage** 



## Personal care

The slim line is perfect for personal care products.

Standard colours: white and neutral. Various types of custom features are available on request: screen-printing, colours, closure and fabrication in HDPE or rHDPE.



category





#### 62S0100#

#### **100ml CYLINDRICAL BOTTLE**



#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	100 ml	_
Sectors of use:	Food & Beverage	☐ Home care	e Pet care	□ Non Food (con RHDPE)
Shape: Type of lock:	Cylindrical Screw cap	Height ( <b>H</b> ):	116 ±1 mm	
Opening:	STD 24/410 STD 24/415	Outer diameter (Ø):	43.5 ±0.5 mm	$igcup_{dash arphi  ightarrow ec{oldsymbol{arphi}}  ightarrow ec{oldsymbol{arphi}}$
Material:	HDPE	Recycled material	rHDPE % to	o be defined

#### Packaging and shipping

Вох:	790x39	5x510H mm - 7,5 kg	Packing	Boxes on pallets	
Pallet:	Size:	1200x800x2170H mm	_ ,	Pallets:	33
	Cuts:	5400	Truck:	Cutz:	178200

category

Personal care





#### Art.

#### 62S1250# 150ml CYLINDRICAL BOTTLE

#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	150 ml	
Sectors of use:	Food & Beverage	☐ Home care ■ Personal car	e Pet care	□ Non Food (con RHDPE)
Shape:	Cylindrical	Height <b>(H)</b> :	115 ±1 mm	
Type of lock:	Screw cap	Outer diameter (Ø):	45 ±0.5 mm	
Opening:	STD 24/410 STD 24/415	Outer diameter (v).	45 ±0.5 mm	<u> </u>
Material:	HDPE	Recycled material	rHDPE   % to	o be defined

Вох:	Box: 790x395x510H mm - 7 kg		Packing	Boxes on	pallets
Pallet:	Size:	1200x800x2170H mm	Truck:	Pallets:	33
	Cuts:	4800		Cuts:	158400





category





#### 62S2500# 250ml CYLINDRICAL BOTTLE

#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	250 ml	
Sectors of use:	Food & Beverage	☐ Home care ■ Personal car	re ■ Pet care	□ Non Food (con RHDPE)
Shape: Type of lock:	Cylindrical Screw cap	Height <b>(H)</b> :	155 ±1 mm	
Opening:	STD 24/410 STD 24/415	Outer diameter <b>(Ø)</b> :	55.7 ±0.5 mm	
Material:	HDPE	Recycled material	rHDPE   % to	o be defined

#### Packaging and shipping

Вох:	790x395x510H mm - 7 kg		Packing	Boxes on	pallets
Pallet:	Size:	1200x800x2170H mm	Truck:	Pallets:	33
	Cutz:	3840		Cutz:	126720

category

Personal care





#### Art. 62\$1500# 150ml OVAL BOTTLE

#### **Technical specifications**

Bottle type:	Bottle	Filling volume: <b>150 ml</b>
Sectors of use:	Food & Beverage	☐ Home care ☐ Personal care ☐ Pet care ☐ Non Food (con RHDPE)
Shape:	Oval	Height (H): 127 ±1 mm
Type of lock:	Screw cap	
Opening:	STD 28/410	Size (B): 56.5 ±0.5 mm x 37 0.5 mm
Material:	HDPE	Recycled material rHDPE % to be defined

Вох:	790x395x510H mm - 7 kg		Packing	Boxes or	ı pallets
Pallet:	Size:	1200x800x2170H mm	<b>.</b>	Pallets:	33
	Cutz: <b>4800</b>		Truck:	Cutz:	158400




category Personal care





#### 62\$2510# 250ml OVAL BOTTLE

#### **Technical specifications**



#### Packaging and shipping

Вох:	790x395x510H mm - 7 kg		Packing	Boxes on	pallets
Pallet:	Size:	1200x800x2170H mm	Truck:	Pallets:	33
	Cuts:	3840		Cuts:	126720

category Personal care





62\$5010# 500ml OVAL BOTTLE

#### **Technical specifications**

Bottle type:	Bottle	Filling volume: 500 ml
Sectors of use:	Food & Beverage	☐ Home care ■ Personal care ■ Pet care ☐ Non Food (con RHDPE)
Shape:	Oval	Height (H): 178 ±1 mm
Type of lock:	Screw cap	
Opening:	STD 28/410	Size (B): 83 ±1 mm x 54 ±1 mm
Material:	HDPE	Recycled material rHDPE % to be defined

Вох:	x: 790x395x510H mm - 7 kg		Packing	Boxes on	pallets
Pallet:	Size:	1200x800x2170H mm	Truck:	Pallets:	33
	Cuts:	3840		Cuts:	126720



categort







#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	500 ml	
Sectors of use:	Food & Beverage	☐ Home care ■ Personal car	e Pet care	□ Non Food (con RHDPE)
Shape:	Cylindrical	Height <b>(H)</b> :	133 ±1.4 mm	
Type of lock:	Screw cap			
Opening:	STD 28/410	Outer diameter (Ø):	80.0 ±0.5 mm	
Material:	HDPE	Recycled material	rHDPE   % to	be defined

#### Packaging and shipping

Вох:	800x400x510h mm		Packing	Boxes on	pallets
Dellet	Size:	1200x800x2170H mm	Truck:	Pallets:	33
Pallet:	Cuts:	1680		Cuts:	55440

category

Personal care





#### Art. 62\$4500# 450ml BELL BOTTLE

#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	450 ml	
Sectors of use:	Food & Beverage	☐ Home care ■ Personal care	Pet care	□ Non Food (con RHDPE)
Shape:	Cylindrical	Haight (U):	131,9 ±0,8 mm	
Type of lock:	Screw cap	Height (H):		H
Opening:	STD 24/410	Outer diameter (Ø):	86±1 mm	] 
Material:	HDPE	Recycled material	rHDPE   % to	be defined

Вох:	790x395x510H mm - 6,5 kg		Packing	Boxes on	ı pallets
D-11-4-	Size:	1200x800x2170H mm	Truck:	Pallets:	33
Pallet:	Cuts:	2100		Cuts:	69300



# Home care / gardening and horticulture

Very versatile containers for cleaning and gardening products.

Standard colours: white and neutral. Various types of custom features are available on request: screen-printing, colours, closure and fabrication in HDPE or rHDPE.





category

Home care/gardening and horticulture



#### Art. 62S5020# 500ml CYLINDRICAL BOTTLE

#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	500 ml	
Sectors of use:	☐ Food & Beverage	■ Home care □ Personal ca	re 🗆 Pet care	■ Non Food (con RHDPE)
Shape: Type of lock:	Cylindrical Screw cap	Height <b>(H)</b> :	191 ±1 mm	
Opening:	Finish d.28 BPF/ PCO std 28/410	Outer diameter (Ø):	67 ±1 mm	<u> </u>
Material:	HDPE	Recycled material	HDPE % t	o be defined

#### Packaging and shipping

Box on request:	790x39	5x510 mm	Packing	Boxes on	pallets
Pallet:	Size:	1200x800 mm	Truck:	Pallets:	33
	Cuts:	1848		Cuts:	60984

category
Home care/gardening and horticulture



#### Art. 62S7500# 750 ML TRIGGER/REFILL

#### **Technical specifications**

Bottle type:	Bottle	Filling volume: 750 ml flush mouth 785ml
Sectors of use:	☐ Food & Beverage	■ Home care □ Personal care □ Pet care ■ Non Food (con RHDPE)
Shape:	As per drawing	
Type of lock:	Screw cap	Height (H): 263 ±1 mm
Opening:	Finish d.28 BPF/ PCO std 28/410	Size (B): 95.8 x 68.5 +/- 0.8 mm
Material:	HDPE	Recycled material HDPE % to be defined

Box on request:	790x395x510 mm	Packing	Boxes or	ı pallets
Pallet:	Size: <b>1200x800 mm</b>	Trucks	Pallets:	33
	Cuts: <b>1200</b>	Truck:	Cuts:	39600





category

Home care/gardening and horticulture





#### 62S1000# 1L CYLINDRICAL BOTTLE

#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	1000 ml flush n	nouth 1060ml
Sectors of use:	☐ Food & Beverage	■ Home care □ Personal ca	re 🗆 Pet care	■ Non Food (con RHDPE)
Shape:	Cylindrical	Height <b>(H)</b> :	250 ±1 mm	
Type of lock: Opening:	Screw cap Finish d.28 BPF/	Outer diameter (Ø):	79 ±1 mm	
Material:	PC0 std 28/410  HDPE	Recycled material	HDPE   % to	⊢Ø⊸ o be defined

#### Packaging and shipping

Box on request:	790x395x510 mm	Packing	Boxes on pallets
Pallet:	Size: <b>1200x800 mm</b>	Truck:	Pallets: <b>33</b>
	Cuts: <b>1080</b>		Cuts: <b>35640</b>

Home care/gardening and horticulture





6215000# 500 ml CYLINDRICAL BOTTLE RIBS

#### **Technical specifications**

Bottle type:	Bottle	Filling volume:	500 ml	
Sectors of use:	☐ Food & Beverage	■ Home care □ Personal car	e  Pet care	Non Food (con RHDPE)
Shape:	As per drawing			
Type of lock:	Screw cap: cap with undercap	Height <b>(H)</b> :	201 ±1.5 mm	
Opening:	Finish: Child safety S41	Outer diameter <b>(Ø)</b> :	67.3 ±0.7 mm	
Material:	HDPE	Recycled material	HDPE   % to	o be defined

#### Packaging and shipping

Box on request:	790x395x510h mm	Packing Boxes on pallets
Dallat trans	Size: <b>1200x800 mm</b>	Pallets: 33
Pallet tray:	Cuts: <b>1848</b>	Truck: Pezzi: <b>60984</b>



Art.

## **Technical Line**

Bottles with special locks for various chemicals: phytochemicals, industrial detergents, solvents, alcohols etc.





#### 21 category Technical Line



#### Art. 62S102XA 1L CYLINDRICAL BOTTLE with guarantee seal 140

#### **Technical specifications**

Bottle type:	Bottle	Filling volui	me: <b>100</b> 0	O ml flush mo	outh 1060ml
Sectors of use:	☐ Food & Beverage	■ Home care □ Person	nal care 🗆	Pet care	■ Non Food (con RHDPE)
Shape:	Cylindrical	Height <b>(</b>	H): 250	±1 mm	
Type of lock:	Screw cap	Outer diameter (		1 mm	
Opening:	Screw cap with seal 140	Cator Gramotor (	2,. 10 2		∟ I ⊢Ø⊸
Material:	HDPE	Recycled mate	rial <b>HDP</b> I	E % to	be defined

#### Packaging and shipping

Box on request:	790x395x510h mm	Packing	Boxes on pallets	
Pallet:	Size: <b>1200x800 mm</b>	Truck:	Pallets:	33
	Cuts: <b>720pz</b>		Cuts:	23760

**22** 

category **Technical Line** 



Art. 62S102XB

#### 1L CYLINDRICAL BOTTLE with guarantee seal 143

#### **Technical specifications**

Bottle type:	Bottle	F	filling volume:	1000 ml flush n	nouth 1060ml
Sectors of use:	☐ Food & Beverage	■ Home care	☐ Personal car	re  Pet care	Non Food (con RHDPE)
Shape:	Cylindrical		Height ( <b>H)</b> :	250 +1 mm	
Type of lock:	Screw cap	Outer	Outer diameter (Ø):		
Opening:	Screw cap with seal 143	outer	ulameter <b>(b)</b> .	79 ±1 mm	<u></u>
Material:	HDPE	Recy	cled material	HDPE   % to	be defined

Box on request:	790x395x510h mm	Packing	Boxes on pallets	
Dallate	Size: 1200x800 mm	Turale	Pallets:	33
Pallet:	Cuts: <b>720pz</b>	Truck:	Cuts:	23760

**23** 

category **Technical Line** 



Art. 62S5030#

#### **500ML AGRICHEMICAL BOTTLE** WITH DIN 50 S-GORE GUARANTEE SEAL

#### **Technical specifications**

Bottle type:	Bottle	I	Filling volume:	577 ml flush mouth		
Sectors of use:	☐ Food & Beverage	■ Home care	☐ Personal car	e □ Pet care	Non Food (con RHDPE)	
Shape:	DWG. TEC. 200203A3		Hoight (U):	180,5 ± 1,5 mm		
Type of lock:	Tappo a vite	Height <b>(H)</b> :				
Opening:	Tappo sigillo di garanzia DIN 50 S- GORE		diameter (Ø):	71,5 ±1 mm	igsqcup	
Material:	HDPE	Recy	ycled material	HDPE % to be	defined	

#### Packaging and shipping

Box:	790x395x510h mm		Packing	Boxes on pallets	
Dellet	Size:	1200x800	Truok	Pallets:	33
Pallet:	Cuts:	1680	Truck:	Cuts:	55440

24

category **Technical Line** 



Art. 62S1030#

1000ML AGRICHEMICAL BOTTLE WITH DIN 50 S-GORE GUARANTEE SEAL

#### **Technical specifications**

Bottle type:	Bottle	F	illing volume:	1000 ml flush n	nouth 1190 ml ± 20cc
Sectors of use:	☐ Food & Beverage	■ Home care	☐ Personal car	re 🗆 Pet care	■ Non Food (con RHDPE)
Shape:	DWG. TEC. 200202A2		Hoight (U):	236 +2 mm	
Type of lock:	Screw cap		Height <b>(H)</b> :		
Opening:	Guarantee seal cap DIN 50 S- GORE	Outer (	diameter (Ø):	89 ± 1,5 mm	$\bigcup_{\leftarrow \emptyset  ightharpoonup }$
Material:	HDPE	Recy	cled material	HDPE   % to	be defined

Box on request:	790x39	5x510h mm	Packing	Boxes on pallets	
Pallat:	Size:	1200x800 mm	Truck:	Pallets:	33
Pallet:	Cuts:	720		Cuts:	23760



## Food & Beverage

Standard bottles and canisters for all kinds of foodstuffs: from milk to oil, icings or syrups. Choose your favourite pack!




category
Food & Beverage



#### Art. 62SP05X# 500ml PET BOTTLE

#### **Technical specifications**



#### Packaging and shipping

Box on request:	1210x1010 mm	Packing	Intermediate layers on pallets
Pallet:	Size: 1200x1000x130 mm	Turale	Pallets: 52
	Cuts: <b>1400</b>	Truck:	Cuts: <b>72.800</b>

category
Food & Beverage



#### Art. 62SP10X# 1L PET BOTTLE

#### **Technical specifications**


Bottle type:	PET bottle	Fil	lling volume:	1000 ml		
Sectors of use:	Food & Beverage	☐ Home care	☐ Personal card	e □ Pet care	□ Non Food (con RHDPE)	
Shape:	As per drawin		Height ( <b>H</b> ):	250 ±1 mm		
Type of lock:	Screw cap			04 F 10 0 mm	⊟ ï	
Opening:	Opening: A vite STD 38mm Affaba Ferrari		Size (B):	84.5 ±0.8 mm	<b>□</b>   ⊢ B →	
Material:	PET	Recyc	cled material	rPET   % t	o be defined	

Box on request:	1210x1	010 mm	Packing	Interfald	e su pallet
Pallet:	Size:	1200x1000x130mm	Turale	Pallets:	52
	Cuts:	704	Truck:	Cuts:	36.608



category
Food & Beverage





#### **Technical specifications**

Bottle type:	PET bottle		Filling volume:	2000 ml flush mo	outh 2086 +/-0.15ml
Sectors of use:	Food & Beverage	☐ Home care	☐ Personal care	□ Pet care	□ Non Food (con RHDPE)
Shape:	As per drawin		Height <b>(H)</b> :	262 ±2 mm	
Type of lock:	Snap-on cap				
Opening:	STD 36/29 snap cap		Size (B):	110X110 ±1 mm	<b>□</b>
Material:	PET	Red	cycled material	rPET % to	be defined

#### Packaging and shipping

Box:	1210x1010 mm		Packing	Interfald	e su pallet
Pallet:	Size:	1200x1000x130 mm	Truck:	Pallets:	52
	Cuts:	369		Cuts:	20.592

category
Food & Beverage



#### Art. 62SP30X# 3L PET CANISTER

#### **Technical specifications**

Bottle type:	PET bottle	Filling volume:	3000 ml +/-0.15ml		
Sectors of use:	■ Food & Beverage □ Home	care	□ Pet care □ No	on Food (con RHDPE)	
	As per drawin				
Shape:	Snap-on cap Screw cap 48-3P	Height <b>(H)</b> :	243.6 ±2 mm		
Type of lock: Opening:	STD 49/40 snap cap Three finish 90-100g Liscio Two finish 90-100g Ribs Screw cap 48-3P 90-100g Ribs	Size <b>(B)</b> :	140X140 ±2 mm		
Material:	PET	Recycled material	PET   % to be de	fined	

Box on request:	1210x1010 mm	Packing	Interfald	e su pallet
Dallata	Size: <b>1200x1000x130mm</b>	Turali	Pallets:	52
Pallet:	Cuts: <b>224</b>	Truck:	Cuts:	11.648








#### Art. 62SP50X# 5L PET CANISTER

#### **Technical specifications**



#### Packaging and shipping

Box on request:	1210x1	010 mm	Packing	Interfald	e su pallet
Dallata	Size:	1200x1000x130 mm	Turneler	Pallets:	26
Pallet:	Cuts: <b>384</b>	384	Truck:	Cuts:	9.984

categor
Food & Beverage



#### Art. 62SP11X# 1L PET BOTTLE

#### **Technical specifications**

Bottle type:	PET bottle	Filling volume:	1000 ml	
Sectors of use:	Food & Beverage	☐ Home care ☐ Personal care	e □ Pet care	□ Non Food (con RHDPE)
Shape:	Cylindrical	Height <b>(H)</b> :	245.5 ±1.5 mm	
Type of lock:	Screw cap			
Opening:	STD 29/21 snap cap	Outer diameter (Ø):	83.5 ±0.3 mm	
Material:	PET	Recycled material	rPET   % to	be defined

Box on request:	1210x1010 m	nm	Packing	Interfald	e su pallet
Dallati	Size: <b>1200</b>	0x1000x2502H mm	Turale	Pallets:	26
Pallet:	Cuts: <b>1.63</b>	8	Truck:	Cuts:	42.588



19 category Food & Beverage



#### Art. 62SP06X# 500ML SQUARE MARASCA PET BOTTLE

#### **Technical specifications**

Bottle type:	PET bottle	F	-illing volume:	500 ml		
Sectors of use:	Food & Beverage	☐ Home care	☐ Personal car	e 🗆 Pet care	□ Non Food (con RHDPE)	
Shape:	As per drawin		Height <b>(H)</b> :	253 ±2 mm		
Type of lock:	Screw cap	Size (B):		54x54 ±1 mm	····	
Opening:	STD 36/29 snap cap		3.22 (2)		∐ ⊢B⊣	
Material:	PET	Recy	cled material	rPET   % to	o be defined	

#### Packaging and shipping

Box on request:	1210x1010	1210x1010 mm		Interfald	e su pallet	
Pallet:	. 1:	70014PL7 in legno 1200x1000x130 mm	Truck:	Pallets:	52	
	Cuts: <b>1</b> .	.584		Cuts:	82.368	

20 category Food & Beverage



#### Art. 62SP07X# 750ML SQUARE MARASCA PET BOTTLE PET

#### **Technical specifications**

Bottle type:	PET bottle	Filling volume: <b>750 ml</b>
Sectors of use:	Food & Beverage	☐ Home care ☐ Personal care ☐ Pet care ☐ Non Food (con RHDPE)
Shape:	As per drawin	
Type of lock:	Screw cap	Height (H): 290.9 ±2 mm
Opening:	STD 36/29 snap cap	Size (B): 62.68x62.68 ±1 mm
Material:	PET	Recycled material rPET % to be defined

Box on request:	1210x1010 mm		Packing	Interfalde su pallet		
Pallet:		70014PL7 in legno 1200x1000x130mm	Truck:	Pallets:	52	
		912		Cuts:	47.424	



03 category Food & Beverage



#### Art. 62S2500# 250ml CYLINDRICAL BOTTLE

#### **Technical specifications**

Bottle type:	Flacone	Filling volume:	250 ml	
Sectors of use:	Food & Beverage	☐ Home care ■ Personal car	re ■ Pet care	□ Non Food (con RHDPE)
Shape: Type of lock:	Cylindrical	Hoisht (III)	155 ±1 mm	
	Screw cap	Height (H):		
Opening:	STD 24/415	Outer diameter (Ø):	55.7 ±0.5 mm	$\bigcup_{\vdash \emptyset  ightharpoonup} ig $
Material:	HDPE	Recycled material	rHDPE   % to	o be defined

#### Packaging and shipping

Box:

Pallet:

790x39	5x510H mm - 7 kg	Packing	Boxes on pallets	
Size:	1200x800x2170H mm	Turale	Pallets:	33
Cuts:	3.840	Truck:	Cuts:	126.720




## Riepilogo prodotti

**Personal care** 

**Home care/gardening and horticulture** 

**Technical Line** 

Food & Beverage



Graphic design by:

#### **bottegaindustriale**

Publication made for:

Capp Plast S.r.l.

registered office Via Galcianese, 107 G - 59100 Prato (PO) Italy www.capp-plast.com





### Since 1960, packaging for everything.

Containers and pallets - Flexible packaging



## Capp-Plast s.r.l. **Capp-Plast** Capp-Plast **Deutschland** GmbH **Nederland** B.V. **Capp-Plast Capp-Plast Plastik France Sarl Sanayi ve Ticaret** A.S. Limited Sirketi

Capp Plast S.r.I. **Bottle Division** 

**Factory** 

50013 Capalle / Campi Bisenzio (FI)

**Tel.** +39 055 87311 **Fax.** +39 055 898171 **Bottle sales Department** 

commerciale.flaconi@capp-plast.com





